



CITY OF WASHINGTON, ILLINOIS

City Council Agenda Communication

Meeting Date: July 12th, 2021

Prepared By: Kevin Schone – Public Works Director

Agenda Item: Toro Mower Replacement Consideration

Explanation: The 72" Toro Mower is scheduled to be replaced in Fiscal Year 24-25. Staff has discussed moving up the replacement schedule and trading in the 72" Toro for another Ventrac Mower. The reason for this consideration is because of the number of times the Toro has been in for repairs, just recently the clutch went out.

The City demoed a 72" Ventrac Mower when looking at a replacement for the WAM (Wide Area Mower), and it proved it was capable of mowing the most challenging properties. It is more capable of holding the slopes of the detention basin and hillsides, and creates an easier and safer mowing experience while being able to do a better job mowing. The WAM replacement was ordered and delivered on June 30th.

The WAM's replacement was \$19,556.80 under budget, and for this reason, staff is considering using the remainder of the budgeted amount, and the funds already set aside for the Toro mower's replacement already in the MERF account, to purchase a new 72" Ventrac for its replacement. The Toro Mower is 4 years into its replacement schedule, which means there is an estimated \$16,612.00 budgeted for its replacement. This, combined with the \$19,556.80 (\$36,168.80), is more than enough to cover the cost of the new mower.

Pricing for the Ventrac Mower is shown below and also attached.

Ventrac Tractor 72" Mower	\$27,852.00
Trade in Value for current Toro	- \$4,000.00
Freight	+ \$600.00
Setup Charges	+ \$979.00
TOTAL	\$25,431.00

Ventrac is a member of the Sourcewell network and would satisfy the competitive bidding requirement.

For comparison, staff priced a 72" John Deere mower with the results of this effort shown below and also attached.

John Deere 72" Mower	\$29,450.00
<u>Trade in Value for current Toro</u>	<u>-\$5,000.00</u>
Total	\$24,450.00

Both mowers have a two-year warranty, however the Ventrac has been able to mow areas that neither the John Deere or Toro have been able to.

Fiscal Impact: If the Ventrac mower is approved, \$25,431 would be costed to Account #502-000-800-1500. This is an unplanned expenditure, however there are sufficient funds to allow for this purchase.

Recommendation/

Committee Discussion Summary: Public Works have mowed with the John Deere's and Toro's and have had multiple issues with both products. With the recent purchase of a Ventrac mower and consideration of a second Ventrac, staff will have more data to evaluate for future mower purchases.

Staff would recommend that we trade in the Toro early and combine the funds designated for its replacement, with the funds saved from the purchase of the WAM, to purchase a second Ventrac Mower. There are sufficient funds in the MERF account for this expenditure.

Action Requested: Approval to purchase a new 72" Ventrac mower from Burriss Equipment Company of Joliet Illinois at a not to exceed cost of \$25,431.00.



Prepared For:

TODD BAKER
CITY OF WASHINGTON
107 LEGION RD.
WASHINGTON, IL 61571

Sold & Serviced by:

Burris Equipment Co - Joliet
NICK KRITSELIS
2001 Cherry Hill Rd
Joliet, IL 60433
Phone: 847-417-1998



STANDARD FEATURES

- Enclosed Muffler
- Pre-Wired Plug & Play Wiring Harness
- Premium Comfort Seat
- Advanced Electronic Instrument Panel
- 6 Function Warning Gauge & Alarm
- Conveniently Located PTO Belt Tensioner
- On-board Diagnostic System
- Sealed Electrical System
- Thermostatically Controlled Oil Cooler
- Battery Disconnect Switch with Circuit Breaker
- Automotive Style Parking Brake
- Universal PTO Switch
- S.D.L.A. Operator Controls
- Weight Transfer System*

* Optional on 4500K, standard on other 4500 Models

Optional Accessories:

- Turf or Bar Tires
- Category 1 3-Point Hitch
- Cold Weather Cab
- Additional Lighting & Signaling Packages
- Electrical Power Outlets
- Digital Slope Indicator
- Dual Wheel or Wheel Extensions for Slope

Visit www.ventrac.com/accessories for full list.

The Ventrac 4500 tractor was built with you in mind. From the advanced electrical system, redesigned frame, more safety and comfort features; the 4500 offers the reliable performance, astounding versatility and comfortable handling you have come to expect.

Like all Ventrac tractors, the 4500 utilizes All Wheel Drive and an articulating chassis with a low center of gravity to provide superior traction, braking, stability, and security on tough terrain and slopes without disturbing turf when turning.

Over 30 Ventrac Mount Attachments

Choose from over 30 professional grade Ventrac Mount attachments to transform your Ventrac into a productivity powerhouse. This incredibly rugged and dependable machine is a wise business investment for golf courses, schools and universities, parks, street maintenance departments, commercial mowing services, contractors, wineries, farms, property management associations, estate owners and anyone needing one machine to do it all.



TRACTOR COMPATIBILITY KEY:



SPECIFICATIONS

Model Comparison

	4500K VANGUARD Big Block	4500P KAWASAKI DFI	4500Y KUBOTA Diesel	4500Z KUBOTA Bi-Fuel Ready
Stock Codes	39.51130	39.51207	39.51209	39.51208
Accessory Kit: Front fenders, foot pegs, 4 rear weights, weight transfer	Optional	Standard	Standard	Standard

Engines

	Vanguard M54	Kawasaki FD851D DFI	Kubota D902	Kubota WG972-GL
Engine	Vanguard M54	Kawasaki FD851D DFI	Kubota D902	Kubota WG972-GL
Max Operating Speed	3600 rpm	3600 rpm	3600 rpm	3600 rpm
Horsepower	31	31	25	32.5
Peak Torque	47 ft lb	47 ft lb	42 ft lb	51 ft lb
Displacement	896cc	824cc	898cc	962cc
Cylinders	2	2	3	3
Engine Oil	Ventrac Full Synthetic 10W30			
Cooling	Air	Liquid	Liquid	Liquid
Fuel Type	Gasoline	Gasoline	Diesel	Gasoline, Propane^
Fuel Capacity	6 gal	6 gal	6 gal	6 gal 2 x 33lb lp tanks^
Fuel Economy^^	1.6 gal/hr	1.2 gal/hr	1.1 gal/hr	1.5 gal/hr (gas) 8.6 lb/hr (lp)^
Slope Rating (continuous/intermittent)	25°/30°	30°/30°	20°/30°	20°/30°
Alternator	50 Amp	30 Amp	60 Amp	60 Amp

Dimensions

Weight with standard hitch	1340 lb (610 kg)	1575 lb (715 kg)	1655 lb (750 kg)	1655 lb (750 kg)
Weight with accessories kit	1565 lb (710 kg)	N/A	N/A	N/A
Weight with 3-point hitch	1660 lb (775 kg) w/ accr kit	1670 lb (760 kg)	1750 lb (795 kg)	1750 lb (795 kg)
Length with standard hitch (ROPS up)	81.5 inches (207 cm)			
Length with 3-point hitch	92 inches (234 cm)			
Length with propane kit	N/A	N/A	N/A	99 inches (252 cm)
Width	48.5 inches (123 cm)			
Width with wheel extensions	54.5 inches (138.5 cm)			
Width with duals	73 inches (185.5 cm)			
Wheelbase (front axle to rear axle)	45 inches (114 cm)			
Height (ROPS up)	68 inches (173 cm)			
Height (ROPS down)	54 inches (137 cm)			
Turning Radius (single tires, standard position)	39 inches (99 cm)			
Turning Radius (position 2)	54 inches (137 cm)			
Turning Radius (position 3)	68 inches (173 cm)			
Oscillation amount (@ wheel)	7.5 inches (19 cm)			
Ground Clearance	5 inches (13 cm)			

^ If equipped with optional Propane Kit for the 4500Z ^^ Fuel Economy tested with HM602 mower for comparison purposes.

Application conditions & attachment will affect fuel economy.

All specifications subject to change without notice or obligation



500 Venture Drive
Orrville, OH 44667
1.866.836.8722

Fax: 330.683.0000
www.ventrac.com
info@ventrac.com

4500 Tractor

TRACTOR COMPATIBILITY KEY:

3400

4500

SPECIFICATIONS (Continued)

APPLIES TO ALL 4500 TRACTORS

Electrical

Battery	475 CCA (Group 51R)
Voltage	12 volts
Battery Disconnect	Standard, with 150A System Circuit Breaker
Fuses	Sealed, Mini Fuse and J-Case styles

Drivetrain

Hydraulic Pump	Sauer Danfoss 15 series pump
Pump Drive	Direct Drive (Double U-Joint Drive-shaft)
Hydraulic Motors	(2) Sauer Danfoss 15 series motors
Transaxles	Peerless 2600 series
Axles	Peerless 40mm (forged) with integrated forged hub
Hydraulic Oil Cooler	Aluminum w/ Thermostatically controlled Electric Fan
Hydraulic Oil Filter (Suction)	25 micron
Hydraulic Oil Filter (Pressurized)	10 micron

Hitch and PTO

Front Hitch	Ventrac Mount System
Electric PTO clutch with Brake	Ogura GT3.5 (250 ft lb)
Rear Hitch	2 inches Receiver
3-Point Hitch	Optional Category 1 3-Point Hitch

Tires

Standard (All Terrain)	22x12-8
Optional Turf	22x11-10
Optional Bar	21x11-8

Travel Speed (F/R)

Low Range	5 mph forward / 4 mph reverse
High Range	10 mph forward / 8 mph reverse

Instruments, Gauges, and Alarm

Gauges	Tachometer, Speedometer, Hour Meter, Engine Temperature (liquid cooled engines only), Fuel Level, Volt Meter
Indicator Lights	Parking Brake, Engine High-Temp [^] , Hydraulic Oil High Temp [^] , Low Voltage [^] , Low Oil Pressure [^]
[^] Activates Audible Alarm	
Switches	Key, PTO, and Lights

Lights

Head Lights	(2) 55W Halogen Lights
Tail Lights	(2) Red LED Lights

Controls

Forward Reverse	S.D.L.A. (Speed, Direction, Lift, and Auxiliary) Handle; Optional Foot Pedal
Attachment Lift	S.D.L.A. (Primary Handle)
Auxiliary Hydraulics	S.D.L.A. (Secondary Handle)
Throttle	Dash Mounted
Front Hitch Lock	Column Mounted (Accessible from Seat)
PTO Belt Tensioner	Front Mounted, Automatic Tension Controlled
Weight Transfer	5 position
High/Low Range	Single Lever, Column Mounted
3 Pt Controls (Optional)	Lift + 2 sets of Auxiliaries
Steering	Power Steering

Other Features

Tool Box	Standard
Cup Holder	Standard
Seat	Deluxe High Back Seat (arm rests and suspension seat optional)

ROPS

Folding ROPS	Standard
Heavy Duty Off-Road Seat Belt	Standard

All specifications subject to change without notice or obligation



500 Venture Drive
Orrville, OH 44667
1.866.836.8722

Fax: 330.683.0000
www.ventrac.com
info@ventrac.com

4500 Tractor



TRACTOR COMPATIBILITY KEY:

3400

4500

SLOPE SPECIFICATIONS

Maximum Slope Rating (any direction)



Max Slope Rating
in any direction


**Single
Tires**

**Wheel
Extensions**

Dual Wheels

4500*	20° (36%)	25° (47%)	30° (58%)
4500Z with Propane	15° (27%)	20° (36%)	25° (47%)
4500 with Cab		10° (18%)	
4500 with Spreader		10° (18%)	

*Attachments, accessories, and tire configuration may reduce the 4500 power unit's maximum angle of operation. Refer to applicable operator manuals for maximum angle of operation of equipment.



Digital Slope Gauge
Recommended for operation on slopes.

ENGINE RATINGS

Model #	4500K	4500P	4500Y	4500Z
Engine	B&S Vanguard Model 54	Kawasaki FD851D	Kubota D902	Kubota WG972-GL
Fuel	Gas	Gas (DFI)	Diesel	Gas Propane**
Max Slope Intermittent Use***	30° (58%)^	30° (58%)	30° (58%)^	30° (58%)^ 25° (47%)^
Max Slope Continuous Use***	25° (47%)	30° (58%)	20° (36%)	20° (36%) 20° (36%)

** With Optional Propane Kit for 4500Z

*** For slope operation over 20°, Wheel Extensions are required for up to 25° or Dual Wheels are required for up to 30°

Intermittent Use Defined

^ The engine may operate between 20° and 30° for up to 10 minutes. If 10 minutes is reached, the engine must be returned to 20° or less to assure proper oil lubrication. After returning to 20° or less, the intermittent cycle can be repeated. The 4500P Kawasaki DFI engine is rated for 30° continuous operation and does not have this requirement.

All specifications subject to change without notice or obligation



500 Venture Drive
Orrville, OH 44667
1.866.836.8722

Fax: 330.683.0000
www.ventrac.com
info@ventrac.com



SPECIFICATIONS

Stock Code	70.4104
Shipping Weight	3 lbs (1.4 kg)

***Requirement for front mounted Spreader 200**

Four pin "Pigtail" plug adapter (required for Spreader 220)	34.1400-1010
----------------------------------------------------------------	--------------

All specifications subject to change without notice or obligation

TRACTOR COMPATIBILITY KEY:



The Kit Includes:

Two toggle switches that mount on the dash of the 4500 Tractor. One is a momentary contact, the other On/Off. Both are connected to the receiver plug, which mounts over the front Auxiliary Valve Couplings.

The 12 Volt plug makes for easy connection and removal when mounting Ventrac attachments requiring electrical power.

STANDARD FEATURES

- HB580 Broom Actuator
- KX523 Snow Blower Chute Actuator
- EA600 Gandy Seeder Option
- KV552 V-Blade
- Spreader 220*
- KR502/702 Terra Rakes



500 Venture Drive
 Orrville, OH 44667
 1.866.836.8722

Fax: 330.683.0000
www.ventrac.com
info@ventrac.com



Shown with Turf Tires

SPECIFICATIONS

Stock Code

All Terrain	70.4067 (1 kit per tractor)
Turf	70.4068 (1 kit per tractor)
Bar	70.4069 (1 kit per tractor)
Weight	80 lbs (36.25 kg) (per axle)
Additional Tractor Width	24 inches (12 inches/tire) (61 cm)

All specifications subject to change without notice or obligation

Note:

- (A) Do NOT use dual wheels when using the Ventrac VERSA-Loader.
- (B) Engine manufacturers' maximum angle of operation is 25° for continuous use (all directions) and 30° intermittent use*. The 4500P Kawasaki DFI is rated for 30° continuous use.
- (C) Do NOT use with Wheel Extensions

* Intermittent use is up to 10 minutes on the slope, then return to level ground before returning to the slope.

Dual Wheels are available for the 4000 series tractors. They are designed to increase stability, traction, and safety on slopes. Dual wheels are also great for reduction of soil compaction on delicate ground. Once the dual hubs have been installed on each wheel, the duals can be quickly mounted and dismounted.*

Duals are recommended for sandy soils or where a broad distribution of tractor weight is desired, including when driving sideways on slopes greater than 20 degrees (not to exceed 30 degrees).

Duals are only one of numerous considerations for safety on slopes; speed, terrain, irregularities, and stopping the unit are other serious factors to consider for safe operation of the tractor.

*Recommended tire pressure for dual wheels can be found in the 4500 operator manual and also on the sticker inside of the hood



Shown with Standard Tires

TRACTOR COMPATIBILITY KEY:



500 Venture Drive
 Orrville, OH 44667
 1.866.836.8722

Fax: 330.683.0000
www.ventrac.com
info@ventrac.com

MS600, MS720, MT720 & MU720

FINISH MOWERS



- Anti-Scalp Rollers
- Tougher Spindles
- Larger Discharge Opening

- Ultra Smooth Shell
- Stripe Roller

FINISH MOWERS



MS600



MS720



6" OFFSET

MT720



MU720

Stock Code	39.55110	39.55111	39.55112	39.55114
Discharge Type	Side	Side	Side, 6" Offset	Rear
Width of Cut	60 Inches (152 cm)	72 Inches (183 cm)	72 Inches (183 cm)	72 Inches (183 cm)
Number of blades/type	3 x 21 High-lift	3 x 25 High-lift	3 x 25 High-lift	3 x 25 Low-lift
Cutting Height Range	1-5 Inches (25-127 mm)	1-5 Inches (25-127 mm)	1-5 Inches (25-127 mm)	1-5 Inches (25-127 mm)
Cutting Height Increments	Positions 1-3 (1/8") (3 mm) Positions 4-18 (1/4") (6 mm)	Positions 1-3 (1/8") (3 mm) Positions 4-18 (1/4") (6 mm)	Positions 1-3 (1/8") (3 mm) Positions 4-18 (1/4") (6 mm)	Positions 1-3 (1/8") (3 mm) Positions 4-18 (1/4") (6 mm)
Deck Construction	High-strength steel	High-strength steel	High-strength steel	High-strength steel
Spindles/Pulleys	Field serviceable with bottom grease fittings	Field serviceable with bottom grease fittings	Field serviceable with bottom grease fittings	Field serviceable with bottom grease fittings
Anti Scalp Rollers	3 Front	3 Front	3 Front	3 Front

OPTIONAL ACCESSORIES

Mulch Kit	70.8165	70.8164	70.8164	70.8167
Flat Free Wheel (2 Required)	53.0148	53.0148	53.0148	53.0148
Hydraulic Flip Up Kit	70.8214	70.8214	70.8214	70.8214

DIMENSIONS

Length	62 5/8 inches (159 cm)	66 1/8 inches (168 cm)	66 1/8 inches (168 cm)	60 5/8 inches (154 cm)
Width	74 5/8 inches (190 cm)	86 1/2 inches (220 cm)	86 1/2 inches (220 cm)	72 7/8 inches (185 cm)
Height	18 1/4 Inches (46 cm)	18 1/4 Inches (46 cm)	18 1/4 Inches (46 cm)	18 1/4 Inches (46 cm)
Weight	490 lbs (222 kg)	550 lbs (249 kg)	550 lbs (249 kg)	540 lbs (245 kg)
Shipping Weight	660 lbs (299 kg)	720 lbs (327 kg)	720 lbs (327 kg)	710 lbs (322 kg)
Shipping Dimensions (LWH)	57 x 65.5 x 25.5 inches (26 x 30 x 12 cm)	60.5 x 77.75 x 25.5 inches (27.4 x 35 x 12 cm)	60.5 x 77.75 x 25.5 inches (27.4 x 35 x 12 cm)	60.5 x 77.75 x 25.5 inches (27.4 x 35 x 12 cm)

All specifications subject to change without notice or obligation

HYDRAULIC FLIP-UP KIT

The Hydraulic Flip-Up kit makes deck clean-up quick and effortless. Using the SDLA controls, you can flip your mower deck up from the seat!




TRACTOR COMPATIBILITY KEY:



FEATURES

5" deep deck shell increases airflow & performance, and made from high strength steel for exceptional abrasion and impact resistance. Check out these other game changing features:



BOTTOM VIEW

1. Anti-Scalp Rollers

Anti-scalp rollers help protect the turf

2. Ultra Smooth Deck Shell

Cleaner, smoother deck shell, helps prevent grass buildup

3. Tougher Spindles

Ventrac's best spindle yet featuring 6 bolt mount, 5/8" retaining bolt, and double row angular contact bearings

4. Stripe Roller

Smoother ride, increased bearing life, and bolder more pronounced stripes

5. Larger Discharge Opening

Large discharge opening improves airflow and cut quality

6. Offset Trim Wheel

Improved quality of cut and better line of sight trimming

7. Low Profile Bearing Caps

Reach under bushes and pine trees without worry of losing the caps

8. Improved Carrier Frame

Strengthened carrier frame arms for increased durability

9. Rubber Discharge Chute

Easy on landscape, will not dent like steel**

10. Improved Casters

Tapered roller bearings and larger diameter pivot bolt provide smoother operation and longer life

11. Tool-Free Belt Tensioner

Our NEW tool-free belt tensioner makes maintenance quick and easy

12. Hydraulic Flip-Up

Optional Hydraulic Flip-Up makes deck clean up quick and effortless (Manual Flip-Up standard)

13. Heavier Roller Mounts


Reinforced rear roller mounts to help carry the load for the long haul

14. Ventrac Mount System

Allows for quick connection of the mower deck with no tools or heavy lifting

15. One Lever Height Adjustment

Broad range of height settings from 1"-5" in 1/4" increments



TOP VIEW

**MU720 does not have a discharge chute



VENTRAC



SPECIFICATIONS

Stock Code	70.0098
Length	52 inches (132 cm)
Width	47 inches (119 cm)
Mount Height	70 inches (178 cm)
Weight	70 lbs (31.75 kg)
Shipping Weight	150 lbs (68 kg)

All specifications subject to change without notice or obligation

Operate your Ventrac 4000 series tractor in comfort by adding a canopy. This heavy duty canopy provides protection from the sun and rain without hindering visibility. The canopy can be adjusted up and down to accommodate individual's height.

STANDARD FEATURES

- Heavy-duty reinforced construction
- Can be Tilted
- Allows operator to stay Cool and Dry while operating tractor and attachments
- Provides protection from harmful UV rays



TRACTOR COMPATIBILITY KEY:



500 Venture Drive
Orrville, OH 44667
1.866.836.8722

Fax: 330.683.0000
www.ventrac.com
info@ventrac.com



Pricing Quote

Quote #: 55360-21154

Date Quoted: June 2, 2021

Quote Expires: July 2, 2021

Prepared For:

TODD BAKER
CITY OF WASHINGTON
107 LEGION RD.
WASHINGTON, IL 61571

Prepared By:

Burris Equipment Co - Joliet
NICK KRITSELIS
2001 Cherry Hill Rd
Joliet, IL 60433
Phone: 847-417-1998

Thank you for the opportunity to quote the following Ventrac product(s) for your review. I have added the items that we feel would best serve your needs. Please feel free to contact me with any questions.

QTY	Model #	Description	Sourcewell	Total
1	4500Y (39.51209)	Ventrac Tractor: KN, 4500Y Kubota D902 <i>Included Standard: Weight Transfer, SDLA Hand Controls, 4 Rear Weights, Front Fenders, Foot Pegs</i>	21,076.00	21,076.00
1	70.4154-99	Accessory: Kit, Suspension Seat 4500	484.00	484.00
1	70.4104	Accessory: 12-VOLT SWITCH/CONTROL-FRONT Kit, 12V Front 4500	233.20	233.20
1	70.4067	Accessory: DUAL WHEEL KIT Kit, Duals Field Trax	1,113.20	1,113.20
1	MU720 (39.55114)	Attachment: MOWERS - FINISH MU, MU720 Mower RD	3,762.00	3,762.00
1	70.8214	Accessory: Kit, Hydraulic Flip Up MS/MT/MU	396.00	396.00
1	70.0098	Accessory: CANOPY Kit, Canopy Option	528.00	528.00
1	70.4155	Accessory: STROBE LIGHT Kit, Strobe Light 4500	259.60	259.60

Subtotal 27,852.00

DISCOUNTS

Trade In Value -4,000.00

CHARGES

Freight +600.00

Setup Charges +979.00

TOTAL USD \$ 25,431.00



JOHN DEERE

MARTIN

Quote Id: 23637031

Prepared For:
CITY OF WASHINGTON ILLINOIS

Prepared By: **Dan Grebner**

Martin Tractor, Inc.
1520 County Road 2100 E
Roanoke, IL 61561

Tel: 309-923-2731

Fax: 309-923-2791

Email: dgrebner@martintractorinc.com

Date: 09 February 2021

Offer Expires: 29 October 2021

Confidential

Quote Summary
Prepared For:

CITY OF WASHINGTON ILLINOIS
301 WALNUT ST
WASHINGTON, IL 61571
Business: 309-745-3336

Prepared By:

Dan Grebner
Martin Tractor, Inc.
1520 County Road 2100 E
Roanoke, IL 61561
Phone: 309-923-2731
dgrebner@martintractorinc.com

Quote Id: 23637031
Created On: 09 February 2021
Last Modified On: 10 July 2021
Expiration Date: 29 October 2021

Equipment Summary	Suggested List	Selling Price	Qty	Extended
JOHN DEERE 1570 TerrainCut™ Commercial Front Mower (Less Mower Deck)	\$ 35,915.12	\$ 24,950.00 X	1 =	\$ 24,950.00
JOHN DEERE 72 In. Fastback Commercial Rear Discharge Deck	\$ 5,694.00	\$ 4,500.00 X	1 =	\$ 4,500.00

Equipment Total **\$ 29,450.00**

Trade In Summary	Qty	Each	Extended
2017 TORO 3280-D - 401246792	1	\$ 5,000.00	\$ 5,000.00
PayOff			\$ 0.00
Total Trade Allowance			\$ 5,000.00

Trade In Total **\$ 5,000.00**

Quote Summary

Equipment Total	\$ 29,450.00
Trade In	\$ (5,000.00)
SubTotal	\$ 24,450.00
Est. Service Agreement Tax	\$ 0.00
Total	\$ 24,450.00
Balance Due	\$ 24,450.00

Salesperson : X _____

Accepted By : X _____

**JOHN DEERE**

Selling Equipment

MARTIN

Quote Id: 23637031

Customer: CITY OF WASHINGTON ILLINOIS

JOHN DEERE 1570 TerrainCut™ Commercial Front Mower (Less Mower Deck)

Hours:

Suggested List

Stock Number:

\$ 35,915.12

Selling Price

\$ 24,950.00

Code	Description	Qty	Unit	Extended
2433TC	1570 TerrainCut™ Commercial Front Mower (Less Mower Deck)	1	\$ 28,649.00	\$ 28,649.00
Standard Options - Per Unit				
001A	United States and Canada	1	\$ 0.00	\$ 0.00
1019	23x10.50-12 4PR Turf Drive Tires	1	\$ 0.00	\$ 0.00
1191	Four Wheel Drive (Full Time or On Demand)	1	\$ 2,913.00	\$ 2,913.00
2012	Air Ride Suspension Seat with Armrests	1	\$ 680.00	\$ 680.00
Standard Options Total				\$ 3,593.00
Dealer Attachments				
BTC10594	Beacon Light	1	\$ 348.16	\$ 348.16
TCB10325	(1) Exterior Mirror Kit	1	\$ 246.65	\$ 246.65
BTC10334	4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy	1	\$ 1,867.39	\$ 1,867.39
BTC10673	Reverse Alarm Kit (Back-up alarm)	1	\$ 142.97	\$ 142.97
BTC10685	Slow Moving Vehicle (SMV) Kit	1	\$ 94.95	\$ 94.95
Dealer Attachments Total				\$ 2,700.12
Value Added Services Total				\$ 0.00
Other Charges				
	Freight	1	\$ 458.00	\$ 458.00
	EnviroCrate	1	\$ 65.00	\$ 65.00
	Setup	1	\$ 450.00	\$ 450.00
Other Charges Total				\$ 973.00
Suggested Price				\$ 35,915.12
Customer Discounts				
Customer Discounts Total			\$ -10,965.12	\$ -10,965.12
Total Selling Price				\$ 24,950.00

JOHN DEERE 72 In. Fastback Commercial Rear Discharge Deck

**JOHN DEERE**

Selling Equipment

MARTIN

Quote Id: 23637031

Customer: CITY OF WASHINGTON ILLINOIS

Hours:				Suggested List
Stock Number:				\$ 5,694.00
				Selling Price
				\$ 4,500.00
Code	Description	Qty	Unit	Extended
0553TC	72 In. Fastback Commercial Rear Discharge Deck	1	\$ 5,309.00	\$ 5,309.00
Standard Options - Per Unit				
001A	United States and Canada	1	\$ 0.00	\$ 0.00
Standard Options Total				\$ 0.00
Other Charges				
	Freight	1	\$ 135.00	\$ 135.00
	Setup	1	\$ 250.00	\$ 250.00
Other Charges Total				\$ 385.00
Suggested Price				\$ 5,694.00
Customer Discounts				
Customer Discounts Total			\$ -1,194.00	\$ -1,194.00
Total Selling Price				\$ 4,500.00



JOHN DEERE

Trade In

MARTIN

Quote Id: 23637031

Customer: CITY OF WASHINGTON ILLINOIS

2017 TORO 3280-D SN# 401246792	
Machine Details	
Description	Net Trade Value
2017 TORO 3280-D	\$ 5,000.00
SN# 401246792	
Your Trade In Description	
Additional Options	
Hour Meter Reading	905
Total	\$ 5,000.00



3841 SE Capitol Cir
Grimes IA 50111-4857
Phone (515) 661-6800 Fax (515) 661-6850
www.mtidistributing.com

ACKNOWLEDGEMENT

CUST.#: 8802304

UPC VENDOR	ACK DATE	ORDER NO.
000000	06/21/18	1173345-00
P.O. NO.		PAGE #
Warranty		1

BILL TO: Washington, City of
301 Walnut St
Washington, IL 61571-2649

SHIP TO: Washington, City of
107 Legion Rd
Washington, IL 61571

INSTRUCTIONS		TERMS
		Net 30 Days
SHIP POINT	SHIP VIA	SHIPPED
MTI Berkeley Warehouse		07/05/18

LN NO.	PRODUCT NO.	DESCRIPTION	QUANTITY ORDERED	QTY. U/M	UNIT PRICE	AMOUNT (NET)
1	3272-23	PIN-COTTER	4	E	0.26	0.00
2	99-6969	SEAL-OIL, WHEEL END	2	E	6.57800	0.00
3	237-161	O-RING	1	E	2.67800	0.00
4	110-9670	LOWER HOUSING ASM	1	EACH	574.95100	0.00
5	133-6352	TUBE ASM	1	EACH	22.80200	0.00
6	340-88	FITTING-STRAIGHT	1	E	0.00	0.00
7	54-0110	FILTER-OIL, TRANSMISSION -OIL, TRANS.	1	E	0.00	0.00
8	132-7250	TUBE ASM	1	EACH	0.00	0.00
9	340-98	FITTING-ELBOW, 90 DEG	1	E	0.00	0.00
10	133-6351	TUBE ASM	1	EACH	0.00	0.00
12	4000-b	OIL-HYD, QT. DONAX TD FLUID [BULK]	5	QT	2.50	0.00
13	114-5500	HOSE-HYD	1	EACH	0.00	0.00
14	1709	Pickup & Del / Mileage PER MILE	360	mle	0.50	0.00
15	s044-09-000	Mech. Trans., Differenti al, & Axle Default Labor	9	hour	110.00	0.00
16	s044-01-000	Maintenance Default Labo r Operation	2.20	hour	0.00	0.00
		Trip Mileage 1 way				
15	Lines Total	Qty Shipped Total	391.20	Total		0.00
				Invoice Total		0.00
				Balance Due		0.00

Last Page

Cust No:	8802304	Caller Name:	Todd	External Ref 1:	208517-000
Customer:	WASHINGTON, CITY OF	Caller Phone:	309-981-9476 Ext. 0000	External Ref 2:	
Location No:	1	Caller Email:		PO Number:	Warranty
Location:	WASHINGTON, CITY OF	Create Date:	06/21/2018 12:44:13 pm	Call Type:	WT
Address 1:		Service Writer:	374lucaj1	Warehouse:	20
Address 2:	107 LEGION RD	Requested Date:		Job Type:	5040I
Address 3:		Promised Date:	7/5/18	Contract ID:	
City:	WASHINGTON	Pickup Date:		Ref Call ID:	
State:	IL	Cust Drop Off:	NO	Call Status:	CLOSED
Zip:	61571	Cust Pick Up:	NO	Completion Date:	7/5/18
Terms:	NET 30 DAYS	Delivered Date:	7/5/2018		
Salesperson:	228	Ship Via:			
Customer Notes:					

Service Description: AXLE HOUSING**Call Notes:**

Repair Line:	1	Description:	Axle housing
Call Type:	WT - WARRANTY TORC	Repair Code:	* All
Equipment ID:	EE00015009	Model No:	GROUNDMASTER 3280-D 4WD / 30345
Mfg:	TORO	Serial No:	401246792
Engine Model:		Engine S/N:	
Warranty Exp:		TPP Policy No:	
Equipment Notes:		UE No:	
		Machine Hours:	200
		TPP Exp:	

Repair Details

Complaint	Customer says unit has erratic traction and can see dipstick for front axle moving when unit is operated.
Cause/Condition	Axle housing loose where pressed together, hyd tube damaged from center section of axle moving.
Correction	Removed deck and deck arms, removed and replaced lower axle housing, replaced 1 hydraulic tube, reinstalled deck arms and deckm filled hydraulic oil, power washed unit.
Misc. Supplies	

Appointment Details

Appointment: 0001 **RL:** 1 **Status:** COMPLETE **Technician:** 374PEARS1/20S-PEA **Date:** 07/02/2018 **Time:** 7:00 am

Appointment Tasks (SRT's)

044-09-000 Mech. Trans., Differential, & Axle De

Comments

R&R lower axle housing.


Repair Line:	2	Description:	Unit damaged in tow
Call Type:	GDW - GOODWILL	Repair Code:	* All
Equipment ID:	EE00015009	Model No:	GROUNDMASTER 3280-D 4WD / 30345
Mfg:	TORO	Serial No:	401246792
Engine Model:		Engine S/N:	
Warranty Exp:		TPP Policy No:	
Equipment Notes:		UE No:	
		Machine Hours:	200
		TPP Exp:	

Repair Details

Complaint	Unit damaged in tow
Cause/Condition	2 hydraulic tubes and 2 hydraulic fittings , 1 hydraulic lift hose,
Correction	replaced 2 fittings and 2 hydraulic lines, ordered new hose for left side lift, installed new hose.
Misc. Supplies	

Appointment Details			
Appointment: 0003	RL: 2	Status: COMPLETE	Technician: 374PEARS1/20S-PEA
		Date: 07/03/2018	Time: 12:00 pm
Appointment Tasks (SRT's)		Comments	
044-01-000	Maintenance Default Labor Operatic		

Thank You for Your Business!



3841 SE Capitol Cir
Grimes IA 50111-4857
Phone (515) 661-6800 Fax (515) 661-6850
www.mtidistributing.com

ACKNOWLEDGEMENT

CUST#: 8802304

UPC VENDOR	ACK DATE	ORDER NO.
000000	09/04/18	1187320-00
P.O. NO.		PAGE #
warr		1

BILL TO: Washington, City of
301 Walnut St
Washington, IL 61571-2649

SHIP TO: Washington, City of
107 Legion Rd
Washington, IL 61571

INSTRUCTIONS		TERMS
		Net 30 Days
SHIP POINT	SHIP VIA	SHIPPED
MTI Berkeley Warehouse		11/13/18

LN NO.	PRODUCT NO.	DESCRIPTION	QUANTITY ORDERED	QTY. U/M	UNIT PRICE	AMOUNT (NET)
2	237-161	O-RING	1	E	2.67800	0.00
3	99-6969	SEAL-OIL, WHEEL END	2	E	6.57800	0.00
4	105-7169	TUBE-FILL, OIL	1	E	33.86500	0.00
5	133-6352	TUBE ASM	1	EACH	22.80200	0.00
6	133-6351	TUBE ASM	1	EACH	23.58200	0.00
7	115-4712	SPRING-EXTENSION	1	E	6.33100	0.00
8	21-8180	BEARING ASM	1	E	29.62700	0.00
9	237-42	O-RING	1	E	1.22200	0.00
10	237-22	O-RING	1	E	1.07900	0.00
11	21-8180	BEARING ASM	1	E	29.62700	0.00
12	138-1922	LOWER HOUSING ASM	1	E	574.95100	0.00
13	4000-b	OIL-HYD, QT. DONAX TD FLUID [BULK]	6	QT	2.50	0.00
14	1709	Pickup & Del / Mileage PER MILE	360	mle	0.50	0.00
15	s044-09-000	Mech. Trans., Differenti al, & Axle Default Labor	6.50	hour	110.00	0.00
14	Lines Total	Qty Shipped Total	384.50	Total		0.00
				Invoice Total		0.00
				Balance Due		0.00

Last Page

Cust No:	8802304	Caller Name:	Todd Baker	External Ref 1:	208726-000
Customer:	WASHINGTON, CITY OF	Caller Phone:	300-981-9476 Ext. 0000	External Ref 2:	
Location No:	1	Caller Email:		PO Number:	warr
Location:	WASHINGTON, CITY OF	Create Date:	09/04/2018 11:30:15 am	Call Type:	WT
Address 1:		Service Writer:	374rawem1	Warehouse:	20
Address 2:	107 LEGION RD	RequestedDate:		Job Type:	5040I
Address 3:		Promised Date:	11/7/18	Contract ID:	
City:	WASHINGTON	Pickup Date:		Ref Call ID:	
State:	IL	Cust Drop Off:	NO	Call Status:	CLOSED
Zip:	61571	Cust Pick Up:	NO	Completion Date:	11/13/18
Terms:	NET 30 DAYS	Delivered Date:	11/7/2018		
Salesperson:	228	Ship Via:			
Customer Notes:					

Service Description: FRONT AXLE ISSUE**Call Notes:**

Repair Line:	1	Description:	Axle issue
Call Type:	WT - WARRANTY TORC	Repair Code:	* All
Equipment ID:	EE00015009	Model No:	GROUNDMASTER 3280-D 4WD / 30345
Mfg:	TORO	Serial No:	401246792
Engine Model:		Engine S/N:	
Warranty Exp:		TPP Policy No:	
Equipment Notes:		UE No:	
		Machine Hours:	281
		TPP Exp:	

Repair Details

Complaint	Customer indicates unit is loosing ground speed and dipstick tube moves around when driven.
Cause/Condition	front axle rotating badly. Damaged 2 hyd lines and dipstick tube, leaking. Extension spring ends bent from axle rotating.
Correction	R&R front axle asm. Replaced two damaged hydraulic tubes, dipstick tube and extension spring. Filled with oil and tested operation.
Misc. Supplies	

Appointment Details

Appointment: 0001 **RL:** 1 **Status:** COMPLETE **Technician:** 374PEARS1/20S-PEA **Date:** 11/09/2018 **Time:** 7:00 am

Appointment Tasks (SRT's)

044-09-000 Mech. Trans., Differential, & Axle Dr

Comments

R&R lower housing asm.

Thank You for Your Business!



3841 SE Capitol Cir
Grimes IA 50111-4857
Phone (515) 661-6800 Fax (515) 661-6850
www.mtidistributing.com

ACKNOWLEDGEMENT

CUST#: 8802304

UPC VENDOR	ACK DATE	ORDER NO.
000000	05/24/19	1213687-00
P.O. NO.		PAGE #
Warranty		1

BILL TO: Washington, City of
301 Walnut St
Washington, IL 61571-2649

SHIP TO: Washington, City of
107 Legion Rd
Washington, IL 61571

INSTRUCTIONS		TERMS
		Net 30 Days
SHIP POINT	SHIP VIA	SHIPPED
MTI Berkeley Warehouse		06/28/19

LN NO.	PRODUCT NO.	DESCRIPTION	QUANTITY ORDERED	QTY. U/M	UNIT PRICE	AMOUNT (NET)
3	1709	Pickup & Del / Mileage PER MILE	234	mle	0.50	0.00
4	s044-10-029	Shaft, Pinion R&R	0.40	hour	110.00	0.00
2	Lines Total	Qty Shipped Total	234.40	Total		0.00
				Invoice Total		0.00
				Balance Due		0.00

Last Page



Cust No:	8802304	Caller Name:	Todd Baker	External Ref 1:	209348-000
Customer:	WASHINGTON, CITY OF	Caller Phone:	309-745-3503 Ext. 0300	External Ref 2:	
Location No:	1	Caller Email:	(309) 981-9476	PO Number:	Warranty
Location:	WASHINGTON, CITY OF	Create Date:	05/24/2019 11:14:02 am	Call Type:	WT
Address 1:		Service Writer:	374lucaj1	Warehouse:	20
Address 2:	107 LEGION RD	RequestedDate:		Job Type:	5040I
Address 3:		Promised Date:	6/1/19	Contract ID:	
City:	WASHINGTON	Pickup Date:		Ref Call ID:	
State:	IL	Cust Drop Off:	NO	Call Status:	CLOSED
Zip:	61571	Cust Pick Up:	NO	Completion Date:	6/1/19
Terms:	NET 30 DAYS	Delivered Date:	6/1/2019		
Salesperson:	228	Ship Via:			
Customer Notes:					

Service Description:	HYD LEAK
Call Notes:	

Repair Line:	1	Description:	Hyd leak
Call Type:	WT - WARRANTY TORC	Repair Code:	* All
Equipment ID:	EE00015009	Model No:	GROUNDMASTER 3280-D 4WD / 30345
Mfg:	TORO	Serial No:	401246792
Engine Model:		Engine S/N:	
Warranty Exp:		TPP Policy No:	
Equipment Notes:		UE No:	
		Machine Hours:	342
		TPP Exp:	

Repair Details

Complaint	Hydraulic leak.
Cause/Condition	Coupler flange on pinion leaking oil from splines.
Correction	Removed coupler flange, applied sealant and reinstalled coupler.
Misc. Supplies	

Appointment Details

Appointment: 0001 RL: 1 Status: COMPLETE Technician: 374BLOCC1/41S-BLCD Date: 05/31/2019 Time: 11:00 am

Appointment Tasks (SRT's)

044-10-029 Shaft, Pinion R&R

Comments

R&R and reseal pinion flange.

Thank You for Your Business!

Cust No: 8802304	Caller Name: Todd Baker	External Ref 1: 210932-000
Customer: WASHINGTON, CITY OF	Caller Phone: 309-981-9476 Ext. 0000	External Ref 2:
Location No: 1	Caller Email:	PO Number: Need PO
Location: WASHINGTON, CITY OF	Create Date: 03/30/2021 7:23:19 am	Call Type: SS
Address 1:	Service Writer: 374lucaj1	Warehouse: 20
Address 2: 107 LEGION RD	RequestedDate:	Job Type: 50601
Address 3:	Promised Date: 4/7/21	Contract ID:
City: WASHINGTON	Pickup Date:	Ref Call ID:
State: IL	Cust Drop Off: NO	Call Status: CLOSED
Zip: 61571	Cust Pick Up: NO	Completion Date: 4/20/21
Terms: NET 30 DAYS	Delivered Date: 4/7/2021	
Salesperson: 228	Ship Via:	
Customer Notes:		

Service Description: TRACTION ISSUE**Call Notes:**

Repair Line: 1	Description: Traction issue
Call Type: CB - CUST. BILLABLE	Repair Code: * All
Equipment ID: EE00015009	Model No: GROUNDMASTER 3280-D 4WD / 30345
Mfg: TORO	Serial No: 401246792
Engine Model:	UE No:
Warranty Exp:	Machine Hours: 795
Equipment Notes:	TPP Policy No:
	TPP Exp:

Repair Details**Complaint**

Unit creeps. Unit is slow forward and fast in reverse. Adjust neutral and forward/reverse speed.
Quote 1294243 prepared for repair. Customer approved service, steer cyl hoses, PTO belt and spindle shafts (no bearings).

Cause/Condition

Neutral adjustment. Service. Found many worn components on traction unit and deck - customer requested only urgent items be repaired.

Correction

Adjusted neutral. Adjusted reverse stop. Customer requested service. Changed engine oil and filter. Changed hydraulic fluid. Changed coolant. Changed fuel/water separator filter. Adjusted tire air pressures. Torqued lug nuts. Found bevel gear cases with damaged bottom covers and plugs. Found R bevel gear housing with no gear oil. Customer denied repair of bevel gear housing. Installed new drain plugs and sealing washers. Found hydraulic steering hoses damaged - replaced. Found two spindles with worn bearings. Found three spindles with damaged spindle shafts. Customer only wants spindle shafts replaced - replaced spindle shafts. Found PTO belt in two pieces - replaced. Found 2 deck cover swell latches broken and 11 worn - customer refused repair. Replaced blades. Changed rear axle gear oil. Changed gear oil in deck gear box. Checked fluid levels. Checked for fluid leaks. Greased unit. Cleaned unit using shop air. Washed unit.

Misc. Supplies**Appointment Details**

Appointment: 0001 **RL:** 1 **Status:** COMPLETE **Technician:** 374MATHJ1/20S-MAT **Date:** 03/30/2021 **Time:** 8:30 am

Appointment Tasks (SRT's)

000-01-200	Serv.Pack 200/300;
044-01-000	Maintenance Default Labor Operatic

Comments

Additional repairs to deck and tractic

Thank You for Your Business!



3841 SE Capitol Cir
Grimes IA 50111-4857
Phone (515) 661-6800 Fax (515) 661-6850
www.mtidistributing.com

ACKNOWLEDGEMENT

CUST.#: 8802304

UPC VENDOR	ACK DATE	ORDER NO.
000000	03/30/21	1294047-00
P.O. NO.		PAGE #
Todd Baker		1

BILL TO: Washington, City of
301 Walnut St
Washington, IL 61571-2649

SHIP TO: Washington, City of
107 Legion Rd
Washington, IL 61571

INSTRUCTIONS		TERMS
		Net 30 Days
SHIP POINT	SHIP VIA	SHIPPED
MTI Berkeley Warehouse		04/20/21

LN NO.	PRODUCT NO.	DESCRIPTION	QUANTITY ORDERED	QTY. U/M	UNIT PRICE	AMOUNT (NET)
1	3296-47	NUT-LOCK, NI	1	E	0.52	0.52
2	108-2084	HOSE ASM	1	E	118.35	118.35
3	108-2085	HOSE ASM	1	E	143.16	143.16
4	108-3810	FILTER-AIR	1	E	17.75	17.75
5	108-3841	FILTER-OIL	1	E	7.83	7.83
6	54-0110	FILTER-OIL, TRANSMISSION -OIL, TRANS.	1	E	10.28	10.28
7	15w40	SER 15W-40 M/O BULK, SOLD AS QUART	4	E	3.60	14.40
8	110-9049	FILTER-SPIN ON, FUEL/WAT ER	1	E	16.20	16.20
9	121-5347-03	BLADE-25.18 INCH, ANGLED	3	E	21.75	65.25
10	108-1590	PREMIUM ALL SEASON GEAR LUBE QUART	4	E	3.89	15.56
11	63-6240	V-BELT	1	E	39.89	39.89
12	104-3554	SHAFT-SPINDLE	3	E	40.92	122.76
13	3296-60	NUT-LOCK, NI	3	E	2.26	6.78
14	99-7589	PLUG	2	E	2.77	5.54
15	99-7590	WASHER-SEAL	2	E	1.84	3.68
16	s044-01-000	Maintenance Default Labo r Operation	5.50HR		110.00	605.00
		Trip Mileage 1 way				
		R&R PTO belt, R&R steering cylinder hoses, R&R spindle shafts.				
17	s000-01-200	Serv.Pack 200/300	1	E	678.73	678.73
		Traction unit service. Change all fluids and filters, lube unit, R&R blades, wash and test operation.				
18	4000-b	OIL-HYD, QT. DONAX TD FLUID [BULK]	6	E	4.00	24.00
19	1720	Shop Supplies/Environ.	12	to	5.00	60.00
19	Lines Total	Qty Shipped Total	53.50	Total		1955.68
				Invoice Total		1955.68
				Balance Due		1955.68

Last Page





WashingtonIL

Vendor History Report

By Vendor Name

Posting Date Range 05/01/2017 - 06/24/2021

Payment Date Range -

Payable Number	Description	Units	Price	Post Date	1099	Payment Number	Payment Date	Amount	Shipping	Tax	Discount	Net	Payment
Item Description					Account Number		Account Name	Dist Amount					
Vendor Set: 01 - VENDOR SET 01													
MTI DIST - MTI DISTRIBUTING, INC. SDS 12-1900													
1210076-00	CAPS	0.00	0.00	5/21/2019	502-000-610-8000	46519	5/21/2019	3,825.12	0.00	0.00	0.00	3,825.12	3,825.12
							R&M - COMMODITIES	146.39	0.00	0.00	0.00	146.39	146.39
								146.39					
1225565-00	AXLE PLATE, BOLTS, O-RING	0.00	0.00	8/20/2019	502-000-610-8000	47118	8/20/2019	111.89	0.00	0.00	0.00	111.89	111.89
							R&M - COMMODITIES	111.89					
1233120-00	VENT - M2	0.00	0.00	9/17/2019	502-000-610-8000	47304	9/17/2019	28.68	0.00	0.00	0.00	28.68	28.68
							R&M - COMMODITIES	28.68					
1233517-00	BLADE	0.00	0.00	9/17/2019	502-000-610-8000	47304	9/17/2019	145.53	0.00	0.00	0.00	145.53	145.53
							R&M - COMMODITIES	145.53					
1255751-00	BELTS, CUPS M-2	0.00	0.00	6/16/2020	502-000-610-8000	48988	6/16/2020	297.09	0.00	0.00	0.00	297.09	297.09
							R&M - COMMODITIES	297.09					
1256892-00	PTO BELT M-2	0.00	0.00	6/16/2020	502-000-610-8000	48988	6/16/2020	54.74	0.00	0.00	0.00	54.74	54.74
							R&M - COMMODITIES	54.74					
1276132	CLIPS / BOLTS	1.00	45.67	9/21/2020	502-000-610-8000	50351	9/22/2020	45.67	0.00	0.00	0.00	45.67	45.67
							R&M - COMMODITIES	45.67					
1277101-00	FILTER KIT	1.00	122.14	9/21/2020	502-000-610-8000	50351	9/22/2020	122.14	0.00	0.00	0.00	122.14	122.14
							R&M - COMMODITIES	122.14					
1294047-00	REPAIR TO MOWER	0.00	0.00	4/30/2021	502-000-510-8000	52430	5/18/2021	1,955.68	0.00	0.00	0.00	1,955.68	1,955.68
							R&M - CONTRACTUAL	1,955.68					
1303217-00	STREET M2 RING & PINION SET	1.00	895.70	6/21/2021	502-000-610-8000	52651	6/22/2021	895.70	0.00	0.00	0.00	895.70	895.70
							R&M - COMMODITIES	895.70					
1304354-00	OIL	1.00	21.61	6/21/2021	502-000-610-8000	52651	6/22/2021	21.61	0.00	0.00	0.00	21.61	21.61
							R&M - COMMODITIES	21.61					
Vendors: (1) Total 01 - VENDOR SET 01:								3,825.12	0.00	0.00	0.00	3,825.12	3,825.12
Vendors: (1) Report Total:								3,825.12	0.00	0.00	0.00	3,825.12	3,825.12